

# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS PO Box 1450 Alexandria, Virginia 22313-1450 www.wepto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/562,211	12/07/2006	Dirk-Jan Bijvoet	081468-0324818	5323
909 PH I SRURY V	7590 08/12/201 WINTHROP SHAW PI	EXAMINER		
PILLSBURY WINTHROP SHAW PITTMAN, LLP P.O. BOX 10500			PURINTON, BROOKE J	
MCLEAN, VA 22102			ART UNIT	PAPER NUMBER
			2881	
			NOTIFICATION DATE	DELIVERY MODE
			00/13/2011	EL ECTRONIC

# Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

docket\_ip@pillsburylaw.com margaret.drosos@pillsburylaw.com

## Advisory Action Before the Filing of an Appeal Brief

Application No.		Applicant(s)			
10/562,211		BIJVOET ET AL.			
	Examiner	Art Unit			
	BROOKE PURINTON	2881			

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

THE REPLY FILED 22 July 2011 FAILS TO PLACE THIS APPLICATION IN CONDITION FOR ALLOWANCE.

- 1. \( \times \) The reply was filled after a final rejection, but prior to or on the same day as filing a Notice of Appeal. To avoid abandonment of this application, applicant must timely file one of the following replies: (1) an amendment, affidavit, or other evidence, which places the application in condition for allowance; (2) a Notice of Appeal (with appeal fee) in compliance with 37 CFR 41.31; or (3) a Request for Continued Examination (RCE) in compliance with 37 CFR 1.114. The reply must be filed within one of the following time periods:
  - a) The period for reply expires 3 months from the mailing date of the final rejection.
    - The period for reply expires on: (1) the mailing date of this Advisory Action, or (2) the date set forth in the final rejection, whichever is later. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of the final rejection.
    - Examiner Note: If box 1 is checked, check either box (a) or (b). ONLY CHECK BOX (b) WHEN THE FIRST REPLY WAS FILED WITHIN TWO MONTHS OF THE FINAL REJECTION. See MPEP 706.07(f).

Extensions of time may be obtained under 37 CPR 1.136(a). The date on which the petition under 37 CPR 1.136(a) and the appropriate extension fear have been filled is the date for purposes of determining the period of extension and the corresponding amount of the fee. The appropriate extension fear under 37 CPR 1.17(a) is calculated from: (1) the expiration date of the shortened statutory period for reply originally set in the final Office action; or (2) as set forth in (b) above, if checked. Any reply received by the Office later than three months after the mailing date of the final rejection, even if timely filed, may reduce any earned patient term adjustment. See 37 CFR 1.79(b).

NOTICE OF APPEAL

2. The Notice of Appeal was filed on ... A brief in compliance with 37 CFR 4.1.37 must be filed within two months of the date of

filing the Notice of Appeal (37 CFB 41.37(a)), or any extension thereof (37 CFB 41.37(a)), to avoid dismissal of the appeal. Since

a Notice of Appeal has been filed, any reply must be filed within the time period set forth in 37 CFR 41.37(a).
<u>AMENDMENTS</u>
3. The proposed amendment(s) filed after a final rejection, but prior to the date of filing a brief, will <u>not</u> be entered because
<ul><li>(a) ☐ They raise new issues that would require further consideration and/or search (see NOTE below);</li></ul>
(b) ☐ They raise the issue of new matter (see NOTE below);
(c) ☐ They are not deemed to place the application in better form for appeal by materially reducing or simplifying the issues for appeal; and/or
(d) ☐ They present additional claims without canceling a corresponding number of finally rejected claims.
NOTE: (See 37 CFR 1.116 and 41.33(a)).
4. The amendments are not in compliance with 37 CFR 1.121. See attached Notice of Non-Compliant Amendment (PTOL-324).
5. Applicant's reply has overcome the following rejection(s):
<ol> <li>Newly proposed or amended claim(s) would be allowable if submitted in a separate, timely filed amendment canceling the non-allowable claim(s).</li> </ol>
7. X For purposes of appeal, the proposed amendment(s): a) will not be entered, or b) x will be entered and an explanation of
how the new or amended claims would be rejected is provided below or appended.
The status of the claim(s) is (or will be) as follows:
Claim(s) allowed:
Claim(s) objected to:
Claim(s) rejected: 1, 3-16,18-24 and 26-39.
Claim(s) withdrawn from consideration:
AFFIDAVIT OR OTHER EVIDENCE

AFFIDAVIT OR OTHER EVIDENCE

8. The affidavit or other evidence filed after a final action, but before or on the date of filing a Notice of Appeal will not be entered because applicant failed to provide a showing of good and sufficient reasons why the affidavit or other evidence is necessary and was not earlier presented. See 37 CFR 1.116(e).

9. The affidavit or other evidence filed after the date of filing a Notice of Appeal, but prior to the date of filing a brief, will not be entered because the affidavit or other evidence failed to overcome all rejections under appeal and/or appellant fails to provide a showing a good and sufficient reasons with it is necessary and was not earlier presented. See 37 CFR 41.33(d)(1).

10. The afficiavit or other evidence is entered. An explanation of the status of the claims after entry is below or attached. REQUEST FOR RECONSIDERATION/OTHER

11. \( \sum \) The request for reconsideration has been considered but does NOT place the application in condition for allowance because:
See Continuation Sheet.

12. Note the attached Information Disclosure Statement(s). (PTO/SB/08) Paper No(s).

13. 🔲 Other: \_\_\_\_\_.

b)

/ROBERT\_KIM/ Supervisory Patent Examiner, Art Unit 2881 Continuation of 11, does NOT place the application in condition for allowance because:

The 112 new matter is maintained. The Figure 5 description at [41] states that "this force FA2 does not contribute to an additional clamping force." The claim states that the second force is in the negative first direction at the second end he second side, but there is no second force on the second and, much less one that pulls the second end "upwards", because the specification itself says that it doesn't create a second force on the patterning device.

#### CLAIMS 1 AND 24....

Regarding Applicants arguments in regards to Iwamoto teaching away: Iwamoto is furnished only to provide a teaching of varying in an automatic fashion, a force to counteract the magnitude of notion of a device. Applicant is reminded that the test for obviousness is not whether the features of a secondary reference may be bodily incorporated into the structure of the primary reference, nor is it that the claimed invention must be expressly suggested in any one or all of the references. Rather, the test is what the combined teachings of the references would have suggested to those of ordinary skill in the art. See In re Keller, 642, E24 413, 208 USPG 871 (CCPA 1981).

Regarding Applicants argument that Kinoshita is non-analogous: it has been held that a prior art reference must either be in the field of applicant's endeavor or, if not, then be reasonably pertinent to the particular problem with which the applicant was concerned, in order to be relied upon as a basis for rejection of the claimed invention. See In re Oetliker, 977 F.2d 1443, 24 USPC/2d 1443 (Fed. Cir. 1992). In this case, both Sato and Kinoshita are trying to figure out how to hold a substrate, regardless of what type of substrate that would be, and therefore the analogous endeavour would prompt one of ordinary skill in the art to have looked to it for solutions.

Furthermore, applicants argument that independently controllable wacuum suction clamps could or would apply the same force would belief the purpose of making them independently controllable. Why would a person of ordindary skill make the independently controllable if only to apply the same force. It would have been obvious to one of ordinary skill that the first reason to make the independently controllable would have been to provide the added benefit of flexibily applying forces. Applicants argument at page 13 thinsofits apply "only a suction force" ignores the fact that, when added to the prior art of Sato and Iwamoto, the person of ordinary skill in the art would have seen a desirable modification.

### CLAIMS 16 AND 39::::

Regarding Applicants arguments regarding Hirayanagi and Sakamoto teaching away: Applicant is reminded that the test for obviousness is not whether the features of a secondary reference may be bodily incorporated into the structure of the primary reference; nor is it that the claimed invention must be expressly suggested in any one or all of the references. Rather, the test is what the combined teachings of the references would have suggested to those of ordinary skill in the art. See In re Keller, 642 F.2d 413, 208 USPQ 871 (CCPA 1981). Even though Hirayanagi might think it is one or the other regarding the clamping forces, that does not mean that Sato, or any other person of ordinary skill in the art at the time would have also thoughts.

The particular purpose which is cited at page 24 seems to be a characteristic of a vacuum clamping device, not of the position of it within the support. The increasing force F3 is from the clamp, not the side location, therefore the argument is still maintained.

Regarding Applicants arguments regarding design choice: a clamping device does exist in the prior art. The attachment of it to the support extending substatntially perpendicular is the rearrangement, and thus a valid application of design choice/rearrangement of parts.